







Home Usage

















85/25、85/30、85/35 85/40、85/50、85/60、85/70 (22*240、22*270、22*330)



5050(22*125、22*147、22*160、 22*170、22*180、22*190、22*200)



60*68/70*68 24X240MM



24X240MM



db-6070







db-6012



R35-1

Functions

(1) CNC precise super thin frame, saphire glass surface.

(2) Built-in visual camera high-difinition large screen.

(3)Accrate identification of E-pay grade backlight.

(4) Anti-pry alarm, try error alarm, low battery alarm, electronic fortification alarm.

(5) Outdoor strong light recognition.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP

Material: Aluminum

Voice: Multi-languages, Low Batt. reminder, Doorbell Color: Black



4.5 INCH HD SCREEN **1MILLION PIXEL CAMERA** SAPPHIRE GLASS

R35-3

Functions

Color: Black

(1) Radar sensor approaches, automatically activates facial

(2) Built-in visual camera high-difinition large screen.

(3)Accrate identification of E-pay grade backlight. (4) Anti-pry alarm, try error alarm, low battery alarm, elec-

tronic fortification alarm.

(5) Outdoor strong light recognition.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP

Material: Aluminum Voice: Multi-languages, Low Batt. reminder, Doorbell



R35-2

Functions

- (1) Radar sensor approaches locks, automatically activate
- 3D facial recognition.
- (2) Built-in visual camera high-difinition large screen.
- (3)Accrate identification of E-pay grade backlight. (4) Anti-pry alarm, try error alarm, low battery alarm, elec-
- tronic fortification alarm.
- (5) Outdoor strong light recognition.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP

Material: Aluminum

Voice: Multi-languages, Low Batt. reminder, Doorbell



ANODIZED COATING 4.5 INCH HD SCREEN

B92

Functions

- (1) Radar sensor approaches locks, automatically activate
- 3D facial recognition.

Color: Black

- (2) Built-in visual camera high-difinition large screen.
- (3)Accrate identification of E-pay grade backlight.
- (4) Anti-pry alarm, try error alarm, low battery alarm, electronic fortification alarm.
- (5) Outdoor strong light recognition.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP

Material: Aluminum/IDM Plate Voice: Multi-languages, Low Batt. reminder, Doorbell



R28S

Functions

(1) PIR infared induction automatically activates 3D facial recognition.

(2) Built-in visual camera high-difinition large screen. (3)Accrate identification of E-pay grade backlight.

(4) Anti-pry alarm, try error alarm, low battery alarm, electronic fortification alarm.

(5) Outdoor strong light recognition.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP

Material: Aluminum

Voice: Multi-languages, Low Batt. reminder, Doorbell Color: Bronze/Grey



R8S

Functions

(1) PIR infared induction automatically activate 3D facial recognition.

(2) Built-in visual camera high-difinition large screen. (3)Accrate identification of E-pay grade backlight.

(4) Anti-pry alarm, try error alarm, low battery alarm, electronic fortification alarm.

(5) Outdoor strong light recognition.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP Material: Zinc Alloy

Voice: Multi-languages, Low Batt. reminder, Doorbell Color: Bronze/Black/Grey



R20D

Functions

- (1) Radar sensor approaches locks, automatically activates 3D facial recognition.
- (2) Built-in visual camera high-difinition large screen.
- (3)Accrate identification of E-pay grade backlight.
- (4) Anti-pry alarm, try error alarm, low battery alarm, electronic fortification alarm.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP

Material: Aluminum

Voice: Multi-languages, Low Batt. reminder, Doorbell Color: Grey/Gun color





Functions

- (1) One Hand open.
- (2) Square shape fingerprint. (3) Stainless steel clutch.
- (4) Hidden cylinder.

Unlock Mode: Fingerprint/Password/keys/Card/APP

Material: Aluminum

Voice: Multi-languages, Low Batt. reminder, Doorbell





Available Colors:



MODEL

3D face recognition peephole video smart lock

Active video intercom and one-click unlocking via remote mobile phone.

FUNCTION INTRODUCTION

- 3D face recognition, financial-grade security protection.
- Radar induction Automatically activate 3D face recognition when approaching the door lock.
- Precise recognition (capable of recognition under backlight and even in complete darkness with financial payment level).
- Wide-angle camera, 24-hour all-round monitoring, remote video intercom.
- When the doorbell is pressed, the situation outside the door can be clearly seen on the remote mobile phone or the indoor large screen.
- Automatically lock when the door is closed, low battery reminder, protection against electromagnetic pulse devices, one-click to open/close the door, automatic selflocking knob, quick-opening handle.
- · 4.0 inch indoor HD display screen.
- Unlock the lock with a password. Anti-peeping function is available when entering random codes.
- · Mechanical key for emergency unlocking. Query of unlocking records.

UNLOCKING METHODS





















Working environment Working temperature:-25°C ~ 60°C / Relative humidity:20%~95%RH / FRR:≤0.01% / FAR:≤0.0001%

Materials Aluminum alloy

Voice reminders Real-person voice navigation, low battery reminder, doorbell status reminder.

L30T

Functions

(1) TUYA embedding handle.

(2) Aluminum frame.



Unlock Mode: Fingerprint/Password/keys/Card/APP

Material: Aluminum

Voice: Multi-languages, Low Batt. reminder, Doorbell Color: Black/White



R33D

Functions

(1) Radar sensor approaches locks, automatically activates 3D facial recognition.

(2) Built-in visual camera high-difinition large screen.

(5) Outdoor strong light recognition.

(3)Accrate identification of E-pay grade backlight.

(4) Anti-pry alarm, try error alarm, low battery alarm, electronic fortification alarm.

Unlock Mode: Fingerprint/Face/Password/keys/Card/APP

Material: Aluminum Voice: Multi-languages, Low Batt. reminder, Doorbell Color: Black/Grey



4.5 inch HD screen 1million pixel camera

Available Colors:





3D face recognition touch control dual screen smart lock Active human body induction, Wide-angle camera, Ultra-thin

FUNCTION INTRODUCTION

- Dual display screens, front touch screen like mobile phone.
- Ultra-thin body, light and convenient.
- 3D face recognition, financial-grade security protection.
- · Radar induction Automatically activate 3D face recognition when approaching the door lock.
- Precise recognition (capable of recognition under backlight and even in complete darkness with financial payment
- Wide-angle camera, 24-hour all-round monitoring, remote
- When the doorbell is pressed, the situation outside the door can be clearly seen on the remote mobile phone or the indoor large screen.
- Automatically lock when the door is closed, low battery reminder, protection against electromagnetic pulse devices, one-click to open/close the door, automatic selflocking knob, quick-opening handle.
- 4.5 inch indoor HD display screen.
- . Unlock the lock with a password. Anti-peeping function is available when entering random codes.
- · Mechanical key for emergency unlocking. Query of unlocking records.

UNLOCKING METHODS




















Working environment Working temperature:-25°C ~ 60°C / Relative humidity:20%~95%RH / FRR:<0.01% / FAR:<0.0001%

Materials Integrally die-cast formed with aluminum alloy in one piece.

Real-person voice navigation, low battery reminder, doorbell status reminder. 50 faces, 50 fingerprints, 100 magnetic cards, 100 sets of passwords can be stored. Capacity

Available Colors:







MODEL

3D face recognition real-time monitoring smart lock Wide-angle camera, remote mobile phone video intercom

FUNCTION INTRODUCTION

- 3D face recognition, financial-grade security protection.
- Radar induction Automatically activate 3D face recognition when approaching the door lock.
- · Precise recognition (capable of recognition under backlight and even in complete darkness with financial payment
- Wide-angle camera, 24-hour all-round monitoring, remote video intercom.





- 4.5 inch indoor HD display screen.
- Unlock the lock with a password. Anti-peeping function is available when entering random codes.
- · Mechanical key for emergency unlocking. Query of unlocking records.

UNLOCKING METHODS



















Working environment Working temperature: -25°C ~ 60°C / Relative humidity: 20%~95%RH / FRR:≤0.011% / FAR:≤0.0001%

Materials Integrally die-cast formed with aluminum alloy / High-end electroplating. Voice reminders Real-person voice navigation, low battery reminder, doorbell status reminder.

Capacity 50 faces, 50 fingerprints, 100 magnetic cards, 100 sets of passwords can be stored.



V15





V16



S13



Available Colors: Obsidian Black

MODEL

Semiconductor fingerprint recognition smart lock

Open with just one grip, and prevent opening by electromagnetic pulse devices.

FUNCTION INTRODUCTION

- Unlock the lock with a temporary password remotely via mobile phone.
- Unlock the lock with a password. Anti-peeping function is available when entering random codes.
- · Mechanical key for emergency unlocking. Query of

Unlocking methods fingerprint, password, magnetic card, key, one-time temporary password. Materials : Integrally die-cast formed with aluminum alloy / high-end baking finish. Real-person voice navigation, low battery reminder, doorbell status reminder. Voice reminders

Capacity : 50 fingerprints, 100 magnetic cards, 100 sets of passwords can be stored.

Available Colors: Obsidian Black



MODEL

unlocking records.

Semiconductor fingerprint recognition indoor door lock Used with Tuya/Tongtong APP for remote management.

FUNCTION INTRODUCTION

- Semiconductor fingerprint recognition.
- Unlock the lock with a temporary password remotely via mobile phone.
- Unlock the lock with a password. Anti-peeping function is available when entering random codes.
- · Mechanical key for emergency unlocking. Query of unlocking records.
- Used with the Tuya/Tongtong APP for remote control, suitable for homes, offices, apartments, hotels and

Unlocking methods fingerprint, password, magnetic card, key, one-time temporary password.

Materials : Aluminum alloy

Real-person voice navigation, low battery reminder, doorbell status reminder. Voice reminders

Capacity : 5 fingerprint administrators 29 users/5 password administrators 45 users/ 5 magnetic card administrators 45 users. Available Colors:

MODEL

HD peephole video intercom smart lock

Wide-angle camera, indoor HD large screen, one-touch unlocking.

FUNCTION INTRODUCTION

 Wide-angle camera, 24-hour all-round monitoring, remote video intercom.

 When the doorbell is pressed, the situation outside the door can be clearly seen on the remote mobile phone or the indoor large screen.

 Automatically lock when the door is closed, low battery reminder, protection against electromagnetic pulse devices, one-click to open/close the door, automatic selflocking knob, quick-opening handle.

Semiconductor fingerprint recognition

UNLOCKING METHODS
















Working environment Working temperature:-25°C~60°C / Relative humidity:20%~95%RH / FRR:≤0.01% / FAR:≤0.0001%

Materials : Integrally die-cast formed with aluminum alloy / high-end baking finish. Real-person voice navigation, low battery reminder, doorbell status reminder. Voice reminders

: 50 fingerprints, 100 magnetic cards, 100 sets of passwords can be stored. Capacity

Business Usage

Masion Solution
Hotel Solution





LoRa











E300F-SS

E300P-SS



Variant Style

A18







E300









E300R-BN



Mortise



7098



Mortise



7098



6098





T7







ACCESSORIES



SL-F60A **Fingerprint Collector**

Size	85mm x 50mm x 20mm
Power	DC 5V/150mA
Sensor Type	Semi-Conductor
Collector Window 14.2 x 18.0mm	
Resolution	508dpi
Temperature	-10 ~ 55 °C
Humidity	0~93% RH
Communicati	on USB2.0





7098

Mortise





100mm x 100mm x 36mm DC 5V/500mA Card Type Mifared S50 Frequency RFID 13.56MHz Lock TT Locks Temperature -10 ~ 55 °C Humidity 10~90% RH









SILVER



SL-G2 TTLock Gateway

Size 70m	nm x 70mm x 26mm
Power	DC 5V/500mA
IEEE Standa	ard 802.11b/g/n
Wireless	WIFI 2.4G
Port	Type C USB
Temperatu	re -10 ~ 55 °C
Humidity	10~90% RH









6098



SL-40A Power Switch

Size	90mm x 86mm
Color	White/Black/Gold/Grey
Capacity	8.8kw
Current	40A

ABOUTUS

Professional ----

Strong engineering team and strict training makes SMARTLOCKIST always be professional.

Unique ----

Different from most of other smart locks factories, SMARTLOCKIST focus on full range of supply chain and services.

Leading ----

Benefit from the fast evolution of industry, SMARTLOCKIST has become one of the leaders in full range of industry chain.

Young ----

SMARTLOCKIST never stops makeing progress, full of vitality in past 5 years more than 50 designs launched.





